

2-Port USB Gigabit Switch

CyberData

The IP Endpoint Company

The 2-Port USB Gigabit Switch enables users of a PC to split a single Gigabit Ethernet port into two Gigabit Ethernet ports. The power for the switch is supplied by the PC's USB port.

Features

- All ports are auto-negotiating so no crossover cable is required
- 10/100/1000 full duplex
- USB or PS/2 mouse-powered (no external power supply required)
- Link/Status and connection speed LEDs
- Low power
- VLAN Packet Forwarding
- RoHS compliant
- USB A to B cable included

Technical Details

- All ports are 10/100/1000 Mbps auto sensing based upon the port's individual connection
- Each port has auto MDX - any port can be used as the uplink connection
- Fully compliant to IEEE 802.3u standard
- Automatic address learning, address aging and address migration
- Integrated lookup engine with 1k unicast MAC addresses
- 1.4Gbps high performance memory bandwidth



Specifications

Ports	3 x RJ45, 1 x USB-B
Modes	10BASE-T, 100BASE-T, 1000BASE-T
Power	350 mA at 5 volts (supplied by either an USB or PS/2 port)
LEDs	Link/Status and Connection Speed
Operating Range	Temperature: -40° C to 55° C (-40° F to 131° F) Humidity: 5-95%, non-condensing
Dimensions*	3.79 inches [96.3 millimeters] Length 2.75 inches [69.8 millimeters] Width 1.09 inches [27.6 millimeters] Height
Weight	0.2 lbs [0.09 kg]
Boxed Weight	0.3 lbs [0.14 kg]
Compliance	IEEE 802.3u
Warranty	2 Years Limited
Part Number	011236

*Dimensions are measured from the perspective of the product being upright with the front of the product facing you.

2-Port USB Gigabit Switch

