


The CyberData Syn-Apps Enabled 2 x 2 Ceiling Tile Drop-In Speaker is for use with Syn-Apps SA-Announce notification system. This speaker is also compatible with the Syn-Apps Paging Relay.

Features

- SA-Announce compliant
- Background / streaming music when combined with Syn-Apps Paging Relay
- Web-based configuration and firmware upgrades
- Paging prioritization
- Line-out connection
- Can drive one external analog speaker for greater coverage
- Dry contact relay
- Network and analog volume control


Related Products:



011523 Auxiliary Analog 2 x 2 Ceiling Tile Drop-In Speaker



011288 Auxiliary RGB (Multi-Color) Strobe Kit




Specifications

Ethernet I/F	10/100 Mbps
Notification Software	Syn-Apps SA-Announce
Power Input	PoE 802.3af/802.3at compliant or 24VDC @ 1A Auxiliary Power Supply (not included)
Audio Output	802.3af - SPL 103 dB @ 1 meter 802.3at - SPL 105 dB @ 1 meter
On-Board Relay	1A @ 30 VDC
Payload Types	G.711 a-law and G.711μ-law
Operating Range	Temperature: -40° C to 55° C (-40° F to 131° F) Humidity: 5-95%, non-condensing
Storage Temperature	-40° C to 70° C (-40° F to 158° F)
Storage Altitude	Up to 15,000 ft. (4573 m)
Dimensions (Unit)*	Length: 23.8 in. [605 mm] Width: 3 in. [77 mm] Height: 23.8 in. [605 mm]
Dimensions (Boxed)*	Length: 25.5 in. [647.7 mm] Width: 4.0 in. [101.6 mm] Height: 24.5 in. [622.3 mm]
Weight	12.0 lbs. [5.44 kg]
Boxed Weight	14.0 lbs. [6.35 kg]
Compliance	CE; EMC Directive – Class A EN 55032 & EN 55024, LV Safety Directive – EN 60950-1, RoHS Compliant, FCC; Part 15 Class A, Industry Canada; ICES-3 Class A, IEEE 802.3 Compliant
Warranty	2 Years Limited
Part Number	011522


*Dimensions are measured from the perspective of the product being upright with the front of the product facing you.

Syn-Apps Enabled 2 x 2 Ceiling Tile Drop-In Speaker


Typical Installation



Syn-Apps Enabled 2 x 2 Ceiling Tile Drop-In Speakers with Extra Speaker Connection



Dimensions



Syn-Apps Enabled 2 x 2 Ceiling Tile Drop-In Speaker

Mounting

